

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,481	07/14/2004	Marc A. Huschke		2134
44647	7590 03/21/2006		EXAM	INER
MARC HUSCHKE 10869 NORTH SCOTTSDALE ROAD #103-169 SCOTTSDALE, AZ 85254			PATEL, TAJASH D	
			ART UNIT	PAPER NUMBER
			3765	

DATE MAILED: 03/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
. ,	10/710,481	HUSCHKE ET AL.			
Office Action Summary	Examiner	Art Unit			
	Tejash D. Patel	3765			
The MAILING DATE of this communication Period for Reply	appears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNION R 1.136(a). In no event, however, may a r l. eriod will apply and will expire SIX (6) MON tatute, cause the application to become AB	CATION. eply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 1	Responsive to communication(s) filed on 14 July 2004.				
2a) This action is FINAL . 2b) ⊠ 1	2a) This action is FINAL . 2b) ⊠ This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the mer					
closed in accordance with the practice und	er <i>Ex parte Quayle</i> , 1935 C.D	. 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-38</u> is/are pending in the applicat 4a) Of the above claim(s) is/are withe 5)□ Claim(s) is/are allowed. 6)⊠ Claim(s) <u>1-38</u> is/are rejected. 7)□ Claim(s) is/are objected to. 8)□ Claim(s) are subject to restriction and	drawn from consideration.				
Application Papers					
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the cor 11) The oath or declaration is objected to by the	accepted or b) objected to lethe drawing(s) be held in abeyan rection is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) ☐ Acknowledgment is made of a claim for fore a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority docum 2. ☐ Certified copies of the priority docum 3. ☐ Copies of the certified copies of the papplication from the International Bur * See the attached detailed Office action for a	ents have been received. ents have been received in Appriority documents have been reau (PCT Rule 17.2(a)).	oplication No received in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application (PTO-152) 			

Application/Control Number: 10/710,481

Art Unit: 3765

DETAILED ACTION

Claim Objections

1. The claims submitted on 7/14/04 should have been submitted as a separate paper as required by 37 CFR 1.4(c). The paper has been entered. However, all future correspondence must comply with 37 CFR 1.4. Claims 1 and 2 should be listed on a separate page and not with the description.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-38 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claims 1-38 are rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to

Art Unit: 3765

present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited. Claims 1-38 are indefinite since they do not positively and structurally limit the metes and bound of the patent protection desired.

Page 3

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-38 are rejected under 35 U.S.C. 102(b) as being anticipated as understood by Mitchell (US 4,158,242).

Mitchell discloses a shoulder and upper body protection system (1) including impact absorbing material/closed cell foam which dissipates imposed forces and redirect residual forces to the load bearing parts of the body, the upper back and medial shoulder as shown in figures 3 and 4. Further, a U-shaped collar section (30) surrounds and protects the neck which is mostly made of a rigid material, col. 3, lines 1-5 and forms a bridge over the clavicle and sternum as shown in figures 1-4. Also, each of the spaced epaulets (31, 33, 45) are pivotally and articulated connected to the protection system. Furthermore, the upper body and shoulder system includes a structured sternal plate and back plates being positioned about the chest and back with ventilation holes (37) as

Art Unit: 3765

shown in figures 1 and 2. Also, the collar section is attached to the system by screw and post fasteners to allow the device to be easily constructed as shown in figure 4.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tejash Patel whose telephone number is (571) 272-4993. The fax phone number for this group is (703) 872-9306.

March 15, 2006

TEJASH PATEL PRIMARY EXAMINER